



APPROVED  
美国FM认证



CCC认证



3RXN  
美国UL认证



河北建支铸造集团有限公司  
Hebei Jianzhi Casting Group Ltd.

国家燃气工程指定产品  
Gas specified products



## 公司简介

河北建支铸造集团有限公司始建于1982年，生产各品种规格建支牌管件，已有30多年的生产历史。企业现占地面积68万平方米，资产总额10亿元。拥有员工4000多名，其中高、中级工程技术人员300多名。年产球墨铸铁沟槽式管接件、可锻铸铁螺纹管件、可锻铸铁衬塑管件、各种线路金具和机械配件10万多吨。产品销往国内30多个省市自治区，并远销东南亚、欧洲、非洲、南美、大洋洲等40多个国家和地区。综合实力国内同行业领先。

企业重质量守信誉。从2002年起就郑重向市场承诺，“退回一个建支牌废品管件奖励用户200元。”市场退废率始终保持在40万分之一以下。2011年起，退回一个建支牌灰件奖励1618元。确保力学性能合格率100%无退货。

公司多次获得省部级科技进步奖，先后获得了20多项专利。其中的JSS-12型节能退火炉和新型轻体玛钢管件被授予国家重点新产品称号。

集团通过了质量（ISO9001）、环境（ISO14001）、职业健康安全（OHSAS18001）认证。科学的管理体系，一流的生产检测设备，精湛的工艺技术确保了产品质量。

建支牌金属管件从1996年到现在一直是河北省名牌产品，2013年至今建支管件被评为“中国玛钢管件知名品牌”。2008年至2017年先后通过美国“UL”、欧盟“CE认证”，巴西“ABNT”认证、土耳其“TSE”认证，美国“FM”认证，印尼“SNI”认证，公安部“CCC”认证，SGS认证等。建支商标从2001年到现在一直是河北省著名商标，2014年被认定为中国驰名商标。从96年起一直是“河北省守合同重信用企业”。2008年到现在一直是唐山市（AAA）一级信用企业、河北省诚信企业。2013年至今一直被评为“河北省质量效益型先进企业”。建支依靠科技进步2016年成为省内同行业首个“省级认定企业技术中心”，同年11月成为国家级高新技术企业。2017年成为河北省科技小巨人企业。

公司先后参与了5个国家标准和2个行业标准的制（修）定工作。在制（修）定GB/T3287、GB/T9440、GB/T25746等国家标准中起到了关键性的作用。企业地址位于京、津、唐金三角中心地带的河北省玉田县城东南。国家一级公路—玉滨公路纵贯厂区。南距京哈高速玉田鸦鸿桥出口10Km，北距玉田县城和102国道3 Km，交通十分便利。

欢迎各界朋友来人致电联系，光临公司指导洽谈业务。





河北建支铸造集团

一个玛钢灰件(双标) 奖1618元  
产品质量由中国人民保险公司承保

## ■ COMPANY PROFILE

Hebei Jianzhi Casting Group Ltd. is a large enterprise established in 1982 with a history of more than thirty years. It is the leader in Chinese pipe fitting industry. Jianzhi Group covers an area of 680,000 m<sup>2</sup> and the total asset is 1 billion RMB. It has more than 3,000 employees including over 300 engineers. It produces Ductile Iron grooved fittings, Malleable Iron pipe fittings, Malleable Iron liner plastic fittings, various Lines fittings and Mechanical spare parts. The annual producing capacity is more than 100,000 metric tons. The products have been sold to over 30 provinces in China and exported to more than 40 countries and regions, such as Southeast Asia, Europe, Africa, America, Oceania and so on.

Jianzhi Group won the provincial and ministerial science and technology progress awards many times, and obtained more than 20 patents, among which the JSS-12 energy-saving annealer and the New Type Malleable Pipe Fittings were granted the National Key New Product.

Jianzhi group has passed certifications in quality (ISO9001), environment (ISO14001), occupational health and safety (OHSAS18001). The scientific management system, first-class testing equipment and exquisite process technology ensure the high quality of products.

During 2008–2015, the products have been approved by UL&FM of America, CE of the EU, ABNT of Brazil, TSE of Turkey, SNI of Indonesia, CCC of China, SGS and so on. In 2016, it became the first "Provincial Recognition Enterprise Technology Center" in the same industry, and became "the National High-Tech Enterprise" in November of that year. In 2017, It was honored as "Hebei Technology Giant Enterprise".

Hebei Jianzhi Casting Group Ltd. has participated in five amendments of national standards and two amendments of industry standards, and plays an important role in amending the national standards, such as GB/T3287, GB/T9440, GB/T25746 and so on.

Hebei Jianzhi Casting Group Ltd. locates in the southeast of YuTian county, Hebei province, the Golden Triangle of Beijing, Tianjin, and Tangshan.

Welcome friends call negotiations.





Jianzhi

建支商标 —— 河北省著名商标  
建支管件 —— 河北省名牌产品

## ■ 认证证书 CERTIFICATIONS



ISO9001质量管理体系认证  
ISO9001 QMS



ISO14001环境管理体系认证  
ISO14001 EMS



OHSAS18001职业健康安全管理体系  
OHSAS18001 OHSMS



美国FM认证  
FM of America



公安部CCC认证  
China Compulsory Certification



美国UL认证  
UL of America



欧盟CE认证  
CE of the EU



巴西ABNT认证  
ABNT of Brazil



土耳其TSE认证  
TSE of Turkey



河北建支铸造集团

一个玛钢灰件(双标)奖1618元  
产品质量由中国人民保险公司承保

## 企业荣誉 COMPANY HONORS



河北名片  
Hebei name card



高新技术企业  
National High-Tech Enterprise



中国玛钢管件知名品牌  
Famous Brand of Malleable Iron Pipe  
Fittings in China



河北省科学技术成果证书  
Hebei province science and technology  
Achievement certificate



河北省质量效益型企业  
Hebei Advanced Enterprise of Quality



铸造行业准入资质  
Foundry industry Access Qualification



中国城市燃气协会会员单位  
China City Gas Association Member Unit




河北省企业技术中心  
Provincial Recognition  
Enterprise Technology Center

奥运会鸟巢、  
国家大剧院的钢  
制低压管道连接  
件全部应用的是  
“建支”牌可锻  
铸铁管件。

All pipe fittings for low pressure steel pipelines used for Bird's Nest and National Center for the Performing Arts are Jianzhi Brand malleable iron pipe fittings.

和建支同事放心  
建支產品挣钱  
用建支產品超值  
鸟巢大剧院首选

北京先鋒公司



二〇一〇年九月

优秀的品质  
适中的价格

北京鑫方盛五金交电有限公司

赵芳期



河北建支铸造集团

一个玛钢灰件(双标)奖1618元  
产品质量由中国人民保险公司承保



鑫方盛集团  
XINFANGSHENG GROUP



建支集团  
JIANZHI GROUP

# 合作项目

## Cooperation Projects

我们合作的部分工程项目：

2008年奥运主体育场“鸟巢”、国家大剧院、首都国际机场T3航站楼、北京银泰中心、CBD财富中心、世贸商业街...

Part of our cooperation projects:

Olympic Venue of 2008 Olympic Games—Bird's Nest, National Center for the Performing Arts, The Beijing Capital International Airport T3 Terminal Building, Beijing Yintai Center, Beijing Fortune Center(CBD), Global Trade Center, etc.




华贸中心 China Central Place



首都国际机场T3航站楼 The Beijing Capital International Airport T3 Terminal Building



鸟巢工程 Bird's Nest



国家大剧院 National Center for the Performing Arts



北京财富中心 Beijing Fortune Center

## ■ 先进的生产设备

先进的生产设备，精湛的工艺技术引领着管件生产行业不断进步！

采用电炉熔炼、机械化造型生产线，促进了质量、产量大幅度提高。采用数控铣雕加工中心制造全金属管件模具，把信息化、机械化生产有机地结合到一起，确保产品表面光滑造型美观，管件接口精度更高。

### **ADVANCED PRODUCTION EQUIPMENTS**

Electric furnace for melting and molding production lines have promoted the products' quality and production.

CNC machines for making metal moulds have ensured the product's smoothing surface and precision.



造型自动生产线 Automatic molding production line



河北建支铸造集团

一个玛钢灰件(双标) 奖1618元  
产品质量由中国人民保险公司承保



可煅铸铁机加工车间 Machining Workshop



赤峰建支铸造生产线 ChiFeng Jianzhi Production line



数控模具铣雕机 CNC Tooling Milling Machine



沟槽管件机加工车间 Machining Workshop

## ■ 精密的检测仪器


红外碳硫分析仪与高频感应燃烧炉配套使用，能快速、准确地测定钢铁合金等材料中的碳、硫元素的含量。德国进口康诚QC型直读光谱仪准确度、稳定性更好。多头自动多功能管件压力试验机是本公司自行研制开发的专利产品，试验台自动升降、自动送气、自行调控试压时间等优点于一体。先进的在线生产检测设备有效地控制了产品质量，确保了生产中各个阶段的全过程控制。

### MAIN TESTING EQUIPMENTS

Advanced online detecting machines have controlled the whole process and ensured the products' quality.



气密性试验  
Leaktightness test



德国康诚QC型直读光谱仪  
QC direct-reading spectrometer



微机控制电液伺服液压万能试验机  
Universal testing machine



高频红外碳硫分析仪与高频感应燃烧炉  
High frequency infrared carbon sulfur analyzer



河北建支铸造集团

一个玛钢灰件(双标) 奖1618元  
产品质量由中国人民保险公司承保

## ■ 可锻铸铁管路连接件

适用于额定工作压力(1.6MPa)和工作温度(200℃)范围内，输送液体—如水、油、气(天然气、煤气、水蒸气)等一般管路的连接。

表面处理：涂漆、喷涂、热镀锌、电镀锌。

### 执行标准

企 业 标 准	Q/JZ 01-2015 (修改采用日本标准JIS B2301)
国 家 标 准	GB/T3287- 2011
国 际 标 准	ISO5922/ISO49/ISO7-1 / ISO228
欧 盟 标 准	EN1562: 1997 / EN10242:2003
德 国 标 准	DIN2950/1692/2999
美 国 标 准	ANSI / ASTM A 197 / A 197M-2000 ANSI / ASME 16.3-92 / B1.20.1-83

### 材料机械性能

抗拉强度≥330MPa；伸长率≥8%；硬度≤HB150

## MALLEABLE IRON PIPE FITTINGS

Suitable for pressure Max 1.6 MPa, temperature Max 200℃, and for pipeline holding water, oil, gas, etc.

Finishing: (Black)Painting, Galvanizing, Electro-plating,  
Standards

Company Standard: Q/JZ 01-2015( partially based on JIS B2301 )

GB/T3287- 2011

ISO5922/ISO49/ISO7-1 / ISO228


EN1562: 1997 / EN10242:2003

DIN2950/1692/2999

ANSI / ASTM A 197 / A 197M-2000 ANSI / ASME 16.3-92 / B1.20.1-83

### Mechanical Properties

Tensile Strength≥330MPa；Elongation rate≥8%；Hardness≤HB150.



1	2	85	90	130R-Tees, reducing
92	120	130	180	95
270-Half Thread	270-Full Thread	280	290	97
291	301	310	330	340
331	90R	130R	180R	529
240	241	245	Flange	Scc

可锻铸铁管路连接件展示  
 Malleable Iron Pipe Fittings



河北建支铸造集团

一个玛钢灰件(双标) 奖1618元  
产品质量由中国人民保险公司承保

## ■ 可锻铸铁管路连接件装箱参考价格表

### M-16 International Price List for Reference

Fig. No.	Name	Size		3/8		1/2		3/4		1		1-1/4		1-1/2		2		2-1/2		3		4											
		W/H	W/L	P	W/H	W/L	P	W/H	W/L	P	W/H	W/L	P	W/H	W/L	P	W/H	W/L	P	W/H	W/L	P	W/H	W/L	P								
1	M&F long sweep bends			0.12	34	0.19		46	0.35		68	0.55		110	0.75		150	1.25		230													
2	Long sweep bends			0.14	34	0.23		52	0.38		75	0.65		120	0.88		170	1.38		260													
85	Crossovers			0.19	0.17	57	0.30	0.25	80	0.43	0.37	130	0.70	0.65	180	0.88	0.75	220	1.50	1.33	380												
90	Elbows			0.06	20	0.09	0.07	17	0.14	0.11	25	0.23	0.16	38	0.35	0.28	57	0.43	0.33	76	0.72	0.50	114	1.13	0.88	210	1.50	1.17	320	2.75	2.00	580	
92	Male and female elbows	0.06		22	0.09	0.08	20	0.14	0.11	29	0.21	0.18	43	0.35		75	0.43		92	0.69		130	1.13		290	1.50		450					
120	45° elbows			0.09	0.06	18	0.13	0.10	27	0.20	0.16	40	0.31	0.24	65	0.39	0.27	80	0.65	0.45	120	0.90		250	1.33		380	2.25		650			
130	Tees			0.08	25	0.13	0.09	22	0.20	0.15	31	0.32	0.24	49	0.47	0.37	74	0.60	0.40	95	1.00	0.75	143	1.38	1.13	320	2.17	1.50	420	3.50	2.50	760	
180	Crosses			0.16	0.15	50	0.26	0.23	70	0.36	0.27	95	0.58	0.46	140	0.72	0.56	190	0.90	0.80	260	1.83	1.17	500	2.60	1.60	700	4.00	3.00	1300			
270	Entire thread sockets			0.09	0.05	15	0.12	0.09	19	0.19	0.13	33	0.28	0.19	50	0.38	0.32	62	0.57	0.46	95		0.73	173		1.00	253		1.70	414			
270	Sockets			0.05	15	0.08	0.05	14	0.11	0.08	18	0.18	0.12	30	0.27	0.17	43	0.32	0.24	52	0.54	0.36	81	0.73	0.55	150	1.06	0.75	220	1.80	1.20	360	
280	Hexagon nipples			0.03	15	0.06	0.05	14	0.10	0.08	19	0.14	0.12	27	0.21	0.19	39	0.25	0.24	54	0.41	0.34	74	0.58	0.50	130	0.83	0.78	220	1.33	1.08	350	
290	Beaded plugs	0.03		12	0.04		12	0.06		14	0.12		19	0.16		29	0.24		33	0.38		48											
291	Plain plugs			0.02	12		0.03	12		0.04	14	0.07	0.06	19	0.11	0.10	29	0.14	0.12	33	0.21	0.20	48	0.38		100	0.52		140	0.94		250	
301	Round caps	0.03		14	0.05		14	0.07	0.06	17	0.10		24	0.16		35	0.20		46	0.31		54											
310	Backnuts			0.03		13	0.05		13	0.08		16	0.10		21	0.14		27	0.22		42												
330	Unions,flat seat			0.20	0.15	54	0.28	0.21	66	0.38	0.32	81	0.56	0.42	114	0.71	0.54	152	1.06	0.78	218	1.63	1.25	400	2.25	1.75	630	3.75	3.00	1200			
331	M&F Unions,flat seat			0.22		70	0.29		90	0.42		110	0.67		160	0.80		200	1.19		270												
90R	Elbows,reducing								0.14	0.09	28	0.19	0.13	42	0.30	0.22	67	0.40	0.35	84	0.63	0.50	124	0.90	0.70	257	1.33	1.00	418	2.25	1.75	713	
130R	Tees,reducing								0.18	0.13	39	0.27	0.20	60	0.43	0.37	90	0.57	0.39	114	0.81	0.63	162	1.33	1.00	333	1.83	1.50	475	3.00	2.25	903	
180R	Crosses,reducing								0.20	0.18	85	0.30	0.22	114	0.47	0.36	162	0.65	0.55	219	0.92	0.83	285	1.33	1.00	570	2.00	1.60	808	3.25	2.25	1495	
240	Sockets,reducing			0.06		17	0.11	0.08	24	0.15	0.11	32	0.24	0.17	47	0.33	0.23	56	0.44	0.31	85	0.71	0.46	160	0.92	0.67	250	1.50	1.17	460			
241	Bushings			0.03		14	0.06	0.04	16	0.09	0.06	24	0.14	0.13	38	0.15	0.13	45	0.27	0.23	62	0.44		104	0.54		152	1.14		300			
245	Hexagon nipples,reducing			0.07		20	0.09		25	0.14		36	0.20		60	0.26		75	0.59		110												
95	Union elbows flat seat					83	0.53		106	0.75		127			207			329			442												
97	Male and female union elbows,flat seat			0.43		86	0.53		117	0.75		147			237			362			478												
340	Union,taper seat			0.21		75	0.29		95	0.41		110			150	0.78		200			300			500			850			1600			
529A	Male and female sockets			0.06		19	0.10		24	0.14		38	0.23		70	0.27		85	0.42		120												

P – Price / 100pcs, USD

W/H – weight of heavy model, kg

W/L – weight of light model, kg

## ■ 沟槽管件

**应用领域:** 主要应用于消防工程、自动喷水灭火系统和其他工程的水管路的连接。

**品种包括:**

沟槽式管接头有：刚性管卡、挠（柔）性管卡。

沟槽式管件有：各种机械三通、机械四通，各种弯头，各种同异径三通、四通、管箍、各种法兰和管帽、盲片等。

**材料:** QT450-10

**规格:** 60-530

**执行标准:** GB5135.11-2006

**工作压力:** 1.2MPa、1.6MPa、2.5 MPa



## GROOVED FITTINGS

**Usage:** Fire protection engineering, Sprinkler system and others pipe connection.

**Model:**

Trench type pipe joint: Rigid coupling, Flexible coupling.

Trench type pipe: All kinds of Mechanical tee, Mechanical cross, Elbow, the equal and reducing Tee, Cross, Sockets, Flange, Cap, Blind plate etc.

**Materials:** QT450-10

**Specifications:** 60-530

**Standards:** GB5135.11-2006

**Working Pressure:** 1.2MPa、1.6MPa、2.5 MPa

悬式绝缘子铁帽 Pin Insulator Caps



河北建支铸造集团

一个玛钢灰件(双标)奖1618元  
产品质量由中国人民保险公司承保

## ■ 给水衬塑可锻铸铁管件

**应用领域:**适用于工作压力不大于1.6MPa饮用水给水管道和其他管道的连接。

**品种包括:**各种同异径弯头、三通、四通、管箍、外丝、活接头等。

**材料:**可锻铸铁管件基体KTH330—08,内衬塑料、聚丙烯。

**规格:**15—100

**执行标准:**CJ/T137—2008

**工作压力:**1.6MPa

### MALLEABLE IRON THREADED FITTINGS OF LINING PLASTIC FOR WATER SUPPLY

**Usage:**Suitable for working pressure no more than 1.6MPa

for drinking water supply pipeline and others pipe connection.

**Model:**The equal and reducing Elbow,Tee,Cross,Sockets,Nipple,Union etc.

**Materials:**Malleable iron pipe fittings KTH330—08,Internal plastic、

Polypropylene.

**Specifications:**15—100

**Standards:**CJ/T137—2008

**Working Pressure:**1.6MPa



### 国内产品销售网络示意图



Jianzhi

### 河北建支铸造集团有限公司 Hebei Jianzhi Casting Group Ltd.

- // 地址: 中国·河北·玉田
- \ Add: Yutian, Hebei, China
- // 邮编(Zip): 064100
- \ 电话: 0315 6500133/6509901
- // 传真: 0315 6162673
- \ Tel: +86 315 650 9922/6256
- // Fax: +86 315 650 6256
- \ Http: [www.jianzhi-fitting.com](http://www.jianzhi-fitting.com)
- // E-mail: [market@jianzhi-fitting.com](mailto:market@jianzhi-fitting.com)

2018年1月份

